

according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 1/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

UFI: NCYS-X06Y-C30M-T7EU

1.2 Relevant identified uses of the substance or mixture and uses advised against

No use descriptors (LCS, SU, PC, PROC, ERC, AC, TF categories) of the substance or mixture are available.

Application of the substance / the mixture:

The extinguishing spray is intended for extinguishing fires of solids, liquids, gases up to 3 bar, greases and oils from a minimum distance of 1.5 meter + devices under voltage up to 400 V from a minimum distance of 1 meter and for extinguishing/quenching fire lithium-ion accumulators and batteries.

The contained fire extinguisher is EFFEM type - fire extinguisher without the content of regulated perfluorinated substances (Eco Friendly Fire Extinguishing Mixture without the content of regulated substances).

Fire extinguisher certificate from TÚPO Prague No. N002/2022.

Certificate of extinction of lithium-ion batteries from SZÚ Brno No. 39-153/11 2020.

Uses advised against: Any other than the above mentioned.

1.3 Details of the supplier of the safety data sheet

Supplier:

GLACI-AID s.r.o.

Příkop 6/838, 602 00 Brno, Czech Republic Company registration number: 052 79 844

Phone: +420 607 551 085

E-mail: uher@glaciaid.com / Website: www.glaciaid.com

Further information obtainable from:

Ing. Karel Královec, Studio2K, Czech Republic

Phone: +420 777 145 808, Email: bl@studio2k.cz, Website: www.bezpecnostni-listy.eu

1.4 Emergency telephone number

European Chemicals Agency. National helpdesks contact details - https://echa.europa.eu/support/helpdesks. Links to Poison Centers and Clinical Toxicologists all over the World: https://www.eapcct.org/index.php?page=links.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is classified as dangerous in the terms of the Regulation (EC) No 1272/2008 (CLP).

Aerosol 3 H229 Pressurised container: May burst if heated.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void. **Signal word:** Warning

Hazard-determining components of labelling: Void.

Hazard statements:

H229 Pressurised container: May burst if heated.

Precautionary statements:

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Additional information:

EUH208 Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

Classification system:

The product is intended for consumer and professional use, and this corresponds to its labeling on the packaging.

2.3 Other hazards Danger of explosion spray can when heated.

Results of PBT and vPvB assessment

PBT:

The mixture does not contain substances classified at the date of preparation of the safety data sheet as PBT according to Regulation (EC) No 1907/2006 (REACH) in a concentration equal to or greater than 0.1 % by weight.

(Continuation on page 2)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 2/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 1)

vPvB:

The mixture does not contain substances classified at the date of preparation of the safety data sheet as vPvB according to Regulation (EC) No 1907/2006 (REACH) in a concentration equal to or greater than 0.1 % by weight.

Determination of endocrine-disrupting properties

The mixture does not contain substances that have been identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

SECTION 3: Composition/information on ingredients

3 2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: | | |
|---|--|-----------|
| CAS: 142-31-4 EINECS: 205-535-5 REACH: 01-2119966154-3 | Sodium octyl sulphate Eye Dam. 1, H318 35-XXXX Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 % Eye Irrit. 2; H319: 10 % ≤ C < 20 % | ≤ 2.5% |
| CAS: 112-34-5 EINECS: 203-961-6 INDEX: 603-096-00-8 REACH: 01-2119475104-4 | 2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319 | ≤ 2.5% |
| CAS: 64-17-5 EINECS: 200-578-6 INDEX: 603-002-00-5 REACH: 01-2119457610-4 | Ethanol Flam. Liq. 2, H225 | < 1% |
| CAS: 55965-84-9 EC: 611-341-5 INDEX: 613-167-00-5 | Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % Note B | < 0.0015% |
| Non dangerous compone | ents: | |
| CAS: 57-13-6 Urea EINECS: 200-315-5 | | 50 - 100% |
| CAS: 7732-18-5 Distill | led water, demineralised | 2.5 - 10% |

Notes:

EINECS: 231-791-2

Note B:

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid .. %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

SVHC:

The product does not contain substances classified as of the date of preparation of the safety data sheet as PBT or vPvB and stated in the Candidate list of substances producing very high concerns for Appendix XIV of Regulation (EC) No 1907/2006 (REACH).

Regulation (EC) No 648/2004 on detergents / Labelling for contents: Not apply.

Additional information:

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3 of the Regulation (EC) No 1272/2008 (CLP Regulation) this means that all notes that may be given here for the named classification have been taken into account.

(Continuation on page 3)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 3/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 2)

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of doubt, appearance of symptoms or upon any problems, seek medical help and present this safety data sheet or the product label.

Never pour anything into the mouth of an unconscious person!

Personal protection for the First Aider.

After inhalation:

Inhalation exposure is improbable.

Remove person from danger area.

Lead the person to fresh air, put the person into a calm environment. In subsequent or continuing troubles, seek medical assistance.

After skin contact:

Generally the product does not irritate the skin.

Wash the affected skin with water and soap and rinse thoroughly. Upon skin irritation or other problems, consult further procedure with an expert physician.

After eye contact:

Open the eye lids, possibly remove contact lenses, and rinse the affected eyes thoroughly with clean flowing water for a period of several minutes. In case of eye irritation or other difficulties, consult further procedure with an ophthalmologist.

After swallowing:

Thoroughly rinse the mouth with water, do not give anything to drink and do not induce vomiting. Put the affected person in warm and calm conditions. Seek medical assistance immediately.

Information for doctor: Symptomatic treatment.

4.2 Most important symptoms and effects, both acute and delayed

Possible toxicological effects resulting from the classification are stated in Section 11.

Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

In case of ingestion seek medical help immediately.

For special medical advice, contact the Toxicology Information Centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Product itself is fire extinguishing agent.

For safety reasons unsuitable extinguishing agents: No extinguishing substances are determined, the mixture is not flammable.

5.2 Special hazards arising from the substance or mixture

No special dangers are determined.

The product itself is not flammable.

Danger of explosion when heated spray can.

5.3 Advice for firefighters

Protective equipment: No special measures required.

Additional information:

Cool with water the products in enclosed packaging, which is near the fire. If possible, remove the products in un-damaged packaging from the danger area. Store the contaminated extinguishing water separately and do not let it into the sewerage. Remove the extinguishing water or used extinguishing materials together with the remnants of the fire according to the corresponding regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Respect the instructions set forth in Sections 7 and 8 of the safety data sheet.

For non-emergency personnel:

Ensure adequate ventilation.

Use personal protective equipment.

Avoid contact with eyes and skin.

Prevent entry of unauthorised persons.

For emergency responders: See section 8 for suitable protective equipment and material specification.

6.2 Environmental precautions Product is not dangerous for nature or water.

(Continuation on page 4)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 4/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 3)

6.3 Methods and material for containment and cleaning up

No special measures required.

Protect health against exposure of contained substances from the atmosphere, see the limit values of exposure, which are stated in Section 8.

Thoroughly wash the affected spot and the tools used with a suitable detergent, it is possible to use a larger quantity of water.

The further disposal procedure is governed by the regulations in Section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

In addition to the information provided in this section, important information is also provided in Sections 6 and 8.

Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Respect general regulations on fire prevention.

Handling:

Before use, it is necessary to familiarize oneself with the contents of Sections 2, 6, 8, and 11 of the safety data sheet.

Ensure good ventilation and exhaustion.

Use personal protective equipment.

Avoid contact with eyes and skin.

Observe directions on label and instructions for use.

General hygiene measures for the handing of chemicals are applicable.

Before a pause and after ending the work, wash the hands and take off the polluted working clothes. Keep these clothes separately.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Do not eat, drink, smoke, or snuff during use.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Keep away from food, drink and animal feedingstuffs.

Store away from other chemical products.

Further information about storage conditions:

Store in a dry and well ventilated place.

Protect from heat and direct sunlight.

Shelf life: 72 months from production date.

Maximum storage temperature: +50 °C.

7.3 Specific end use(s) Specific use is stated in the manual for use on the product packaging label or in the product documentation.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

IOELV Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

Regulatory information:

IOELV: COMMISSION DIRECTIVE (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

BOELV: DIRECTIVE (EU) 2022/431 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40.

(Continuation on page 5)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 5/14

Printing date: 20.12.2024 Revision date: 20.12.2024 Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 4)

| 57-13-6 Ur | rea | | |
|--|---|---|--|
| Oral | DNEL - Long term exp | osure, systemic effects | 42 mg/kg/d (consumers) |
| | DNEL - Short term exp | osure, systemic effects | 42 mg/kg/d (consumers) |
| Dermal | DNEL - Long term exp | osure, systemic effects | 580 mg/kg/d (consumers) |
| | | | 580 mg/kg/d (workers) |
| | DNEL - Short term exp | osure, systemic effects | 580 mg/kg/d (consumers) |
| | ' | , , | 580 mg/kg/d (workers) |
| Inhalative | DNFL - Long term exp | osure, systemic effects | 125 mg/m3 (consumers) |
| IIIIIaaaiivo | Divide Long tomi oxp | source, cyclonnic chicolo | 292 mg/m3 (workers) |
| | DNFL - Short term exc | osure systemic effects | 125 mg/m3 (consumers) |
| | DIVEE CHOIC CHIII CXP | odare, dydienno enedio | 292 mg/m3 (workers) |
| 142-31-4 5 | Sodium octyl sulphate | | 252 mg/mb (workers) |
| | | | 24 mg/kg/d (consumers) |
| - 1 | | - | 2,440 mg/kg/d (consumers) |
| Demia | DIVEE - Long term exp | sourc, systemic chects | 4,060 mg/kg/d (workers) |
| Inhalativa | DNEL - Long torm ove | osure, systemic effects | 85 mg/m3 (consumers) |
| IIIIIaialive | DIVEL - Long term exp | Jsure, systemic enects | 285 mg/m3 (workers) |
| 440 24 5 0 |) /2 h.uta.a.a.tha.a.a.\a.th | | 285 mg/m3 (workers) |
| | 2-(2-butoxyethoxy)eth | | 000 |
| - 1 | | | 200 mg/kg/d (consumers) |
| Dermal | DNEL - Long term exp | osure, systemic effects | 50 mg/kg/d (consumers) |
| | | | 83 mg/kg/d (workers) |
| Inhalative | DNEL - Long term exposure, systemic effects | | 40.5 mg/m3 (consumers) |
| | | | 67.5 mg/m3 (workers) |
| | DNEL - Short term exp | osure, systemic effects | 60.7 mg/m3 (consumers) |
| | | | 101.2 mg/m3 (workers) |
| | | | othiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) |
| - 1 | | - | 0.09 mg/kg/d (consumers) |
| - 1 | | - | 0.11 mg/kg/d (consumers) |
| Inhalative | DNEL - Long term exp | osure, local effects | 0.02 mg/m3 (consumers) |
| | | | 0.02 mg/m3 (workers) |
| I | DNEL - Short term exp | osure, local effects | 0.04 mg/m3 (consumers) |
| | · · | | |
| | · | | 0.04 mg/m3 (workers) |
| PNECs: | | | 0.04 mg/m3 (workers) |
| | | | 0.04 mg/m3 (workers) |
| PNECs: | rea | 0.047 mg/l | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fre | rea | | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fre | rea eshwater Sodium octyl sulphate | | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro | rea eshwater Sodium octyl sulphate | - | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Ma | rea eshwater Sodium octyl sulphate eshwater | 0.1357 mg/l 0.01357 mg/l | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Ma PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Ma PNEC - Se PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Se PNEC - Se PNEC - Se PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - From PNEC - From PNEC - Market PNEC - See PNEC - S | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Se PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water oil 2-(2-butoxyethoxy)eth | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Fro PNEC - Se PNEC - Se PNEC - Se PNEC - So PNEC - So PNEC - So PNEC - Fro | rea eshwater Godium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water oil 2-(2-butoxyethoxy)ethe eshwater | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg anol | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fro 142-31-4 S PNEC - Ma PNEC - Se PNEC - Se PNEC - Se PNEC - So 112-34-5 2 PNEC - Fro PNEC - Ma | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water oil 2-(2-butoxyethoxy)ethat eshwater arine water | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg anol 1.1 mg/l 0.11 mg/l | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - From PNEC - From PNEC - See PNEC - From PNEC - From PNEC - From PNEC - See PNEC - See PNEC - From PNEC - See PNEC - | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water oil 2-(2-butoxyethoxy)ethe eshwater arine water ewage treatment plant | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg anol 1.1 mg/l 0.11 mg/l 200 mg/l | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fr 142-31-4 S PNEC - Fr PNEC - Ma PNEC - Se PNEC - Se PNEC - Sc 112-34-5 2 PNEC - Fr PNEC - Ma PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water bil 2-(2-butoxyethoxy)ethe eshwater arine water ewage treatment plant ediment, freshwater | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg anol 1.1 mg/l 0.11 mg/l 200 mg/l 4.4 mg/kg | 0.04 mg/m3 (workers) |
| PNECs: 57-13-6 Ur PNEC - Fr 142-31-4 S PNEC - Fr PNEC - Ma PNEC - Se PNEC - Se PNEC - Sc 112-34-5 2 PNEC - Fr PNEC - Ma PNEC - Se | rea eshwater Sodium octyl sulphate eshwater arine water ewage treatment plant ediment, freshwater ediment, marine water oil 2-(2-butoxyethoxy)ethe eshwater arine water ewage treatment plant ediment, freshwater ewage treatment plant ediment, freshwater ediment, marine water | 0.1357 mg/l 0.01357 mg/l 1.35 mg/l 1.5 mg/kg 0.15 mg/kg 0.22 mg/kg anol 1.1 mg/l 0.11 mg/l 200 mg/l | 0.04 mg/m3 (workers) |



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 6/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 5)

| 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | | |
|---|--------------|--|
| PNEC - Freshwater | 0.00339 mg/l | |
| PNEC - Marine water | 0.00339 mg/l | |
| PNEC - Sewage treatment plant | 0.23 mg/l | |
| PNEC - Sediment, freshwater | 0.027 mg/kg | |
| PNEC - Sediment, marine water | 0.027 mg/kg | |
| PNEC - Soil | 0.01 mg/kg | |
| PNEC - Water (sporadic release) | 0.00339 mg/l | |

Ingredients with biological limit values:

The product does not contain any relevant quantities of materials with biological limit values.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls: No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases/fumes/aerosols.

Avoid contact with the eyes and skin.

Eye/face protection:

Not required during regular use.



In case of danger of contact with eyes, use tightly adhering protective goggles (EN 166).

Body protection:

Not required during regular use.

Alternatively, use light protective clothing.

Hand protection

Not required during regular use.



Use protective gloves whenever there is a risk of direct contact with hands (EN ISO 374-1).

Material of gloves:

Nitrile rubber gloves (EN ISO 374-1).

Recommended thickness of the material: ≥ 0.11 mm.

Glove material selection was performed based on the glove producers' data and information on substances contained in the product. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

≥ 480 minutes (EN 16523-1).

No tests have been performed, glove resistance must be tested before use.

The determined penetration times according to EN 16523-1 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50 % of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other: Not determined.

Respiratory protection:

Unnecessary during regular use.



In case of insufficient ventilation and exceeding permitted exposure limits, use a suitable half-mask (EN 149+A1) with a filter (EN 14387+A1).



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 7/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 6)

Observe wearing time limitations for respiratory protection equipment.

Recommended filter device for short term use: Filter A (EN 14387+A1), code colour brown.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

23 hPa

Environmental exposure controls: Adhere to usual measures for environmental protection, see Section 6.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state: Liquid (BOV spray, propellant is compressed clean air).

Colour: Clear. Odour: Characteristic. -15 °C Melting point/freezing point: 100 °C

Boiling point or initial boiling point and boiling range:

Flammability: It is not flammable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Flash point: Not applicable. Auto-ignition temperature: Not applicable. **Decomposition temperature:** Not determined. pH: Slightly alkaline

Viscosity

Kinematic viscosity: Not determined. Dynamic viscosity: Not determined.

Solubility

water: Fully miscible. Partition coefficient n-octanol/water (log value): Not determined

Vapour pressure at 20 °C: Density and/or relative density

Density at 20 °C: 1.1 g/cm³ Vapour density: Not determined. Not determined. Relative gas density:

9.2 Other information

Important information on protection of health and

environment, and on safety.

Ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Solvent content

VOC (2010/75/EC): Not apply. Oxidising properties: No.

Evaporation rate: Not determined. Relative evaporation rate: Not apply.

Information with regard to physical hazard classes

Explosives: Void. Flammable gases: Void

Aerosols: Pressurised container: May burst if heated.

Oxidising gases: Void. Void. Gases under pressure: Flammable liquids: Void. Flammable solids: Void. Self-reactive substances and mixtures: Void. **Pyrophoric liquids:** Void. Pyrophoric solids: Void. Self-heating substances and mixtures: Void. Substances and mixtures, which emit flammable gases in contact with water:

Void. Oxidising liquids: Void. Oxidising solids: Void.



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 7)

Page 8/14

Organic peroxides: Void.
Corrosive to metals: Void.
Desensitised explosives: Void.

Additional information: No relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity Upon adhering to the determined regulations of storage and use, no reactivity is expected (see Section 7).
- 10.2 Chemical stability Upon adhering to the determined regulations of storage and use, the product is stable (see Section 7).
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

Temperature < -15 °C.

Prevent excessive heating by various heat sources above +50 °C. The growth of the pressure in the spray bottle leads to the danger of its bursting.

- 10.5 Incompatible materials No incompatible materials are known.
- 10.6 Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

| Relevant toxicological values for classification: | | | | |
|---|---|------------------------|--|--|
| 57-13-6 U | 57-13-6 Urea | | | |
| Oral | LD50 | 14,300 mg/kg (rat) | | |
| 142-31-4 | 142-31-4 Sodium octyl sulphate | | | |
| Oral | LD50 | > 2,000 mg/kg (rat) | | |
| Dermal | LD50 | > 2,000 mg/kg (rabbit) | | |
| 112-34-5 2 | 112-34-5 2-(2-butoxyethoxy)ethanol | | | |
| Oral | LD50 | 5,660 mg/kg (rat) | | |
| Dermal | LD50 | 4,000 mg/kg (rabbit) | | |
| 64-17-5 Et | 64-17-5 Ethanol | | | |
| Oral | LD50 | > 6,200 mg/kg (rat) | | |
| Dermal | LD50 | > 2,000 mg/kg (rabbit) | | |
| Inhalative | LC50/4 h | > 8,000 mg/l (rat) | | |
| 55965-84- | 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | | | |
| Oral | LD50 | 53 mg/kg (rat) | | |
| Dermal | LD50 | 87 mg/kg (rabbit) | | |
| Inhalative | ATE | 0.5 mg/l/4h (ATE) | | |

Primary irritant effect

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

| 142-31- | 142-31-4 Sodium octyl sulphate | | |
|---------|--------------------------------|--|--|
| Oral | NOAEL | 488 mg/kg/d (rat) (OECD 408 - Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |
| Dermal | NOAEL | 400 mg/kg/d (mouse) (OECD 411 - Subchronic Dermal Toxicity - 90-Day Study) | |

Aspiration hazard: Based on available data, the classification criteria are not met.

Subacute to chronic toxicity: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 9/14

Printing date: 20.12.2024 Revision date: 20.12.2024 Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 8)

Additional toxicological information: Allergic reaction possible through skin contact.

Acute effects: No acute effects are known.

Repeated dose toxicity: Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): No CMR effects are known.

11.2 Information on other hazards

| E | indocrine disrupting properties: |
|---|------------------------------------|
| N | lone of the ingredients is listed. |

Other information: No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Based on available data, the classification criteria are not met.

| | · | | | | |
|-------------|---|--|--|--|--|
| 57-13-6 Ure | 57-13-6 Urea | | | | |
| LC50/72 h | > 10,000 mg/l (bacteria) | | | | |
| | Pseudomonas putida | | | | |
| LC50/96 h | > 6,810 mg/l (fish) | | | | |
| | Leuciscus idus | | | | |
| EC50/48 h | > 10,000 mg/l (daphnia) | | | | |
| | Daphnia magna | | | | |
| | 31-4 Sodium octyl sulphate | | | | |
| LC50/96 h | > 100 mg/l (fish) (OECD 203 - Fish, Acute Toxicity Test) Brachydanio rerio | | | | |
| E050/40 h | | | | | |
| EC50/48 ft | > 100 mg/l (invertebrates) (OECD 202 - Daphnia sp. Acute Immobilisation Test) Daphnia magna | | | | |
| EC50/72 h | > 511 mg/l (algae) (EU C.3 (92/69/EEC)) | | | | |
| | Desmodesmus subspicatus | | | | |
| NOEC/42 d | ≥ 1.357 mg/l (fish) | | | | |
| | Pimephales promelas | | | | |
| NOEC/21 d | 1.4 mg/l (invertebrates) (OECD 211 - Daphnia magna Reproduction Test) | | | | |
| | Daphnia magna | | | | |
| | (2-butoxyethoxy)ethanol | | | | |
| 1 | 1,300 mg/l (fish) | | | | |
| EC50/48 h | 2,850 mg/l (daphnia) | | | | |
| IC50/72 h | 73 mg/l (algae) | | | | |
| 64-17-5 Eth | anol | | | | |
| LC50/48 h | > 14,221 mg/l (daphnia) | | | | |
| | Daphnia magna | | | | |
| | > 8,140 mg/l (fish) | | | | |
| 1.050 | Leuciscus idus | | | | |
| LC50 | > 5,000 mg/l (algae) Scenedesmus quadricauda | | | | |
| EE06E 94 0 | 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | | | | |
| | 0.19 mg/l (fish) | | | | |
| LC30/90 II | Oncorhynchus mykiss | | | | |
| EC50/48 h | 0.16 mg/l (daphnia) | | | | |
| | Daphnia magna | | | | |
| EC50/72 h | > 0.037 mg/l (algae) | | | | |
| | Pseudokerchneriella subcapitata | | | | |
| EC50/16 h | 5.7 mg/l (bacteria) | | | | |
| | Pseudomonas putida | | | | |



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 10/14 Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 9)

| 12.2 Persistence and de | 12.2 Persistence and degradability | | |
|---------------------------|---|--|--|
| 142-31-4 Sodium octyl s | 142-31-4 Sodium octyl sulphate | | |
| | 93.5 %/29 d (OECD 301 B - Ready Biodegradability - CO2 Evolution Test) | | |
| | the substance is readily biodegradable | | |
| 55965-84-9 Reaction ma | 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | | |
| Biodegradability in water | | | |
| | the substance is not readily biodegradable | | |

Behaviour in waste water treatment plants: No relevant information is available.

| 12.3 Bio | accumulative potential | |
|-----------------|--|--|
| 142-31-4 | Sodium octyl sulphate | |
| log Pow | ≤ -2.31 (OECD 107 - Partition Coefficient (n-octanol/water)) bioaccumulation is not expected | |
| 112-34-5 | 5 2-(2-butoxyethoxy)ethanol | |
| log Pow | 0.56 (při 25 °C) bioaccumulation is not expected | |
| 64-17-5 Ethanol | | |
| log Pow | -0.349 (24 °C) bioaccumulation is not expected | |
| 55965-84 | 4-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | |
| log Pow | 0.401 measured value, bioaccumulation is not expected | |
| Bioconc | entration factor (BCF): | |
| 55965-84 | 4-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | |
| BCF 3.6 |) culated value | |

calculated value

12.4 Mobility in soil

55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

log Koc 28

estimated value

12.5 Results of PBT and vPvB assessment

The product does not contain substances classified as PBT or vPvB and included in the list of substances subject to authorization (Annex XIV of EP and R Regulation No 1907/2006, as amended).

PBT: No relevant information is available.

vPvB: No relevant information is available.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No information available on other adverse effects on the environment.

Additional ecological information

| COD-value: | | |
|-----------------|--|--|
| 64-17-5 Ethanol | | |
| COD 1.9 g O2/g | | |
| BOD5-value: | | |
| 64-17-5 Ethanol | | |
| BOD5 1 g O2/g | | |

AOX-indication: No relevant information is available.

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Product residues are not hazardous waste.

The product can be discharged into the waste or sewage system.



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 11/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 10)

Remove product residues according to the corresponding local directives as other waste.

Alternatively, dispose of product residues in accordance with relevant local guidelines in appropriate facilities.

Waste disposal key:

The catalogue numbers with the asterisk (*) mark hazardous waste (N), numbers without the asterisk mark other waste (O).

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC, 2014/955/EU).

| European | European waste catalogue and hazardous properties of waste: | | |
|----------|---|--|--|
| 16 05 05 | gases in pressure containers other than those mentioned in 16 05 04 | | |
| | metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers | | |
| 15 01 04 | metallic packaging | | |

Uncleaned packaging

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Completely empty the pressure bottles (including the propelling gas).

Do not open by force or incinerate empty pressure bottles after use.

Take full aerosol cans to problem waste collection.

Handover the emptied packaging to the authorised organisation, which has a licence for their disposal.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Regulations:

Commission Decision No 2014/955/EU of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council.

Commission Regulation (EU) No 1357/2014, replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, as amended.

| 14.1 UN number or ID number ADR, IMDG, IATA UN1950 14.2 UN proper shipping name ADR 1950 AEROSOLS IMDG AEROSOLS IATA AEROSOLS, non-flammable | |
|--|--|
| 14.2 UN proper shipping name ADR 1950 AEROSOLS IMDG AEROSOLS | |
| ADR 1950 AEROSOLS IMDG AEROSOLS | |
| IMDG AEROSOLS | |
| | |
| IATA AFROSOLS non-flammable | |
| ALNOGOLO, HOH-HAITIMADIE | |
| 14.3 Transport hazard class(es) | |
| ADR | |
| Sleen 250 Cones | |
| Class: 2 5A Gases. Label: 2.2 | |
| 111 | |
| IMDG, IATA | |
| Class: 2.2 Gases. | |
| Label 2.2 | |
| 14.4 Packing group | |
| ADR, IMDG, IATA Void. | |



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 12/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 11)

| 14.6 Special precautions for user Persons employed in transporting dangerous goods must trained. All persons involved in transporting must observe safe regulations. Precautions must be taken to prevent damage. Warning: Gases. Hazard identification number (Kemler code): EMS Number: Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS: Category C, Clear of liv quarters. Segregation Code: Segregation Code: Segregation as for class 9. Stow "separated from" class 1 excipt of division 14. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Limited quantities (EQ): Transport category: Transport cat | 14.5 Environmental hazards | |
|--|---|--|
| trained. All persons involved in transporting must observe safiregulations. Precautions must be taken to prevent damage. Warning: Gases. Hazard identification number (Kemler code): EMS Number: F-D,S-U Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS: Category C, Clear of liv quarters. Segregation Code: Segregation Code: Segregation as for class 9. Stow "separated from" class 1 excitor division 1.4. For AEROSOLS with a capacity above 1 littre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Transport category: Transport c | Marine pollutant: | No |
| Hazard identification number (Kemler code): EMS Number: Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Clear of liv quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 excitor division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Code: E0 Not permitted as Excepted Quantity Transport category: 3 Tunnel restriction code: E IL Excepted quantities (LQ): LIL Excepted quantities (LQ): Excepted quantities (LQ): Limited quantities (LQ): Excepted quantities (LQ): Excepted quantities (LQ): Excepted quantities (LQ): IL Excepted quantities (LQ): Excepted Quantity. | 14.6 Special precautions for user | All persons involved in transporting must observe safe regulations. Precautions must be taken to prevent damage. |
| EMS Number: Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS: Category C, Clear of liv quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 lite: Segregation as for class 9. Stow "separated from" class 1 exce for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for tleas propriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore in applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Code: E0 Not permitted as Excepted Quantity Transport category: 3 Tunnel restriction code: E IL Excepted quantities (LQ): Limited quantities (LQ): Limited quantities (LQ): Limited quantities (LQ): Limited quantities (LQ): Excepted quantities (LQ): Code: E0 Not permitted as Excepted Quantity. | Harand identification number (Kamlan anda). | warning: Gases. |
| Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Clear of liv quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 exc for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore I applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Transport category: Transport category: Transport category: Transport category: Transport category: 1 L Excepted quantities (LQ): Elimited quantities (LQ): 1 L Excepted Quantities (LQ): 2 Code: E0 Not permitted as Excepted Quantity. | ` , | - |
| SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Clear of liv quarters. Segregation Code: Segregation as for class 9. Stow "separated from" class 1 excepted for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for class 9. Stow "separated from" class 1 excepted quantities (EQ): 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Code: E0 Not permitted as Excepted Quantity Transport category: 3 Tunnel restriction code: E IMDG Limited quantities (LQ): 1L Excepted Quantities (LQ): 1L | | , - |
| Segregation as for class 9. Stow "separated from" class 1 excepted quantities (LQ): Excepted quantities (LQ): Excepted quantities (LQ): IMDG Limited quantities (LQ): Excepted quantities (LQ): ILC Excepted quantities (LQ): Excepted quantities (LQ): ILC Excepted quantities (LQ): Excepted quantities (LQ): ILC Code: E0 Not permitted as Excepted Quantity. ILC Excepted quantities (LQ): Excepted quantities (LQ): ILC Code: E0 Not permitted as Excepted Quantity. | Stowage Code: | SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Clear of livi quarters. |
| 14.7 Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Transport category: Transport category: Transport category: Tunnel restriction code: IMDG Limited quantities (LQ): IL Code: E0 Not permitted as Excepted Quantity IL Excepted quantities (LQ): Code: E0 Not permitted as Excepted Quantity. | Segregation Code: | Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: |
| applicable. Minimum amount regulations have not been taken into account Transport/Additional information: Danger code and packing code on request. ADR Limited quantities (LQ): Excepted quantities (EQ): Transport category: Transport category: Tunnel restriction code: E IMDG Limited quantities (LQ): Limited quantities (LQ): Code: E0 Not permitted as Excepted Quantity 1L Code: E0 Not permitted as Excepted Quantity. | | |
| ADR Limited quantities (LQ): Excepted quantities (EQ): Transport category: Transport category: Tunnel restriction code: IMDG Limited quantities (LQ): Excepted quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity 1L Code: E0 Not permitted as Excepted Quantity. | 14.7 Maritime transport in bulk according to IMO in | applicable. |
| Limited quantities (LQ): Excepted quantities (EQ): Code: E0 Not permitted as Excepted Quantity Transport category: Tunnel restriction code: E IMDG Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | Transport/Additional information: | Danger code and packing code on request. |
| Excepted quantities (EQ): Code: E0 Not permitted as Excepted Quantity Transport category: 3 Tunnel restriction code: E IMDG Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | ADR | |
| Not permitted as Excepted Quantity Transport category: 3 Tunnel restriction code: E IMDG Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | Limited quantities (LQ): | 1L |
| Tunnel restriction code: IMDG Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | Excepted quantities (EQ): | |
| IMDG Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | Transport category: | · |
| Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | Tunnel restriction code: | |
| Limited quantities (LQ): Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | IMDG | |
| Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity. | 2 • | 11 |
| Not permitted as Excepted Quantity. | | ·= |
| | | |
| | UN "Model Regulation": | UN 1950 AEROSOLS, 2.2 |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2004/42/EC of the European Parliament and the Council: Does not apply.

Named dangerous substances - ANNEX I: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction for the group No 3.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment

- Annex II:

None of the ingredients is listed.

Legal regulations of the European Community:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006, as amended.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

(Continuation on page 13)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 13/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 12)

Directive 2012/18/EU of the European Parliament and of the Council of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC, as amended.

COMMISSION REGULATION (EU) amending for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures: 2016/918 (8. ATP from 1.2.2018), 2016/1179 (9. ATP from 1.3.2018), 2017/776 (10. ATP from 1.12.2018), 2018/669 (11. ATP from 1.12.2019), 2019/521 (12. ATP from 17.10.2020), 2018/1480 (13. ATP from 1.5.2020).

COMMISSION DELEGATED REGULATION (EU) amending for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures:

2020/217 (14. ATP from 1.10.2021), 2020/1182 (15. ATP from 1.3.2022), 2021/643 (16. ATP from 10.5.2021), 2021/849 (17. ATP from 17.12.2022), 2022/692 (18. ATP from 1.12.2023), 2023/1434 (19. ATP from 1.8.2023).

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Warning:

The safety data sheet contains data needed for securing safety and health protection during work and environ-mental protection. The stated data correspond to the current state of knowledge and experience and is in accord-ance with valid legal regulations. It cannot be deemed as a guarantee of the properties, suitability, and usefulness of the product for specific application and therefore no contractual legal relationships are hereby created.

The safety data sheet is the property of the physical or legal entity stated in Section 1 and is protected by copy-right. All copying, distribution or sales without the consent of the owner is forbidden.

Relevant phrases:

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Training hints: Before using, read the information on the product's packaging carefully.

Recommended restriction of use:

The product is to be used only for the purpose, for which it is designed. It is up to the user's responsibility to ad-here to the product usage conditions and to respect the safety instructions for health and environmental protection.

Further information:

This product must be stored, sold, and used in accordance with valid hygienic regulations.

Standard packaging: 400 ml aluminium spray can of the BOV system.

Classification according to Regulation (EC) No 1272/2008:

Aerosols, Section 2.3.1 Bridging principles

Department issuing SDS:

Ing. Karel Královec, Studio2K, Czech Republic

Phone: +420 777 145 808, Email: info@studio2k.cz, Website: www.studio2k.cz / www.bezpecnostni-listy.eu

First issue of SDS: 12.10.2016 Date of previous version: 24.01.2023 Version number of previous version: 4

Reasons for alterations: Revision of the safety data sheet due to changes or additions to some data and information.

Revised sections: 1, 2, 8, 9, 11, 12, 15, 16.

Internal code formula: 1050.002

Documents used to prepare SDS:

The original documents provided by the supplier or manufacturer related to the product (mixture), eventually to individual substances contained.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 14/14

Printing date: 20.12.2024 Revision date: 20.12.2024

Version number: 5 (replaces version 4)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 13)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values

Aerosol 3: Aerosols - Category 3

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Information on data sources used in compiling the safety data sheet:

The safety data sheet was prepared in accordance with the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) and according to the requirements of the European Parliament and Council Regulation (EC) No 1907/2006 about the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency - head IV, article 31, appendix II (instructions for safety data sheet compiling), as amended by the Commission Regulation (EU) No 2020/878 of 18 June 2020.

The missing ecotoxicology and toxicology data was obtained from the ESIS (European chemical Substances Information System), specifically from the IUCLID (International Uniform ChemicaL Information Database). As needed, data from further available chemical databases was used.

* Data compared to the previous version altered.

© Studio2K & DR SoftWare ChemGes, 2024 (EU)